

Flexi Level




Adjustable grating feet with self-leveling top



Product


Flexi Level is a **unique** product.

Instead of creating a new level foundation, Flexi Level can be used on surfaces with varying slopes of up to **5%**, thanks to its self-leveling top.




Flexi Level also has sound-absorbing properties, as the top is coated with a material that reduces noise and absorbs impact. This also makes the gratings more comfortable to walk on.


With different sizes and therefore a wide range of height adjustments, the desired height can be achieved using the adjustment key, ranging from **28 to 550 mm**. This ensures that a consistent height can always be achieved for the gratings, regardless of uneven or irregular surfaces.




Advantages




Self-leveling top that automatically compensates for slopes of up to **5%**



Top in soft, serrated and noise-reducing rubber



Adjustable height from **28** to **550** mm, thanks to the dedicated adjustment key



The base can be cut to fit corners and edges




Resistant to weather conditions, acids, UV radiation, and wear



Resistant to temperatures ranging from **-40°C** to **120°C**




Compressive strength from **1.400 kg**




Fully recyclable


Technical data



Ø 205 mm base



5 mm base thickness



Rubber-coated
Ø 110 mm top
(standard)

Variants

Standard units



Flexi Level 0
28-38 mm



Flexi Level 1
37,5-50 mm



Flexi Level 2
50-75 mm



Flexi Level 3
75-120 mm



Flexi Level 4
120-170 mm



Flexi Level 5
170-215 mm



Flexi Level 6
140-230 mm



Flexi Level 7
185-275 mm



Flexi Level 8
235-325 mm



Flexi Level 9
205-345 mm



Flexi Level 10
250-385 mm



Flexi Level 11
300-400 mm



Flexi Level 12
270-455 mm



Flexi Level 13
315-500 mm



Flexi Level 14
365-550 mm

Accessories




Flexi Level
Adjustment key




Flexi Level
XL top
Ø 150 mm

Product in use



Example of positioning of Flexi Level
under a single grating



Example of positioning of Flexi Level under a walkway
(illustrated with 3 gratings)



Hjejlevej 10 - 7480 Vildbjerg

Tlf. +45 97 13 32 11

mail@flexiriste.dk